

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2019/06/24 n. **644192602/OE**

Validity: 2024/06/23

This Certificate cancels & replaces the previous one n° 644151301/OE dated 2015/03/23

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	BLOUNT EUROPE SA 5 Rue Emile Francqui 1435 Mont Saint Guibert – Belgium Safety footwear in conformity with EN ISO 20345:2011 class I + EN ISO 17249:2013 against mechanical chainsaw cutting (= footwear in leather and other materials III : "severe" risks. The validity of the present certificate is to be reconfirmed with the annual production surveillance report issued by the authorized Notified Body, as per annex VII of the Regulation (module C2).		
Type of PPE:			
Category of PPE:			
Model	"295479"		
	WAIPOUA		

Description:

<u>design</u>: C (half-knee boot); <u>fastening system</u>: by means of laces; <u>processing</u>: AGO; <u>sole</u>: black nitril rubber with a red oval mark in the plantar arch, marked "ANTISTATIC NITRIL SOLE OIL & PETROL RESISTANT" (code OREGON);

<u>upper</u>: black leather declared thickness 1,8/2,0 mm (code CNCDB), black coated leather (code MLCA), with cutting-resistant insert in high-strength white fabric art. AT8 ENGTEX (8 layers);

<u>collar</u>: two different pieces of synthetic coated material (one black colour and one red colour), perforated (code SCG874);

rear collar: black fabric "Lycra" coupled with foam material, total thickness 3,5 mm (code LVG) folded in on itself;

tongue/bellows: "Cordura" black fabric (code FCDP), lined and centrally padded, reinforced with upper's leather;

<u>vamp and quarter lining</u>: non-woven black material coupled with grey foam material (code Super Royal Pidigi);

collar lining: black mesh fabric (code Solar Pidigi);

<u>insole</u>: non-woven material marked "Sigma" declared thickness 2,5 mm (code LTA), lined;

removable insock: grey perforated foam material coupled with non-woven material in contact with the foot (code R29);

toecap: steel, art. 2443 SMAL for the sizes from 38 to 46, art. 1604 SMAL for the sizes 47 and 48.

Technical Standard:	EN ISO 20345:2011	Personal protective equipment – Safety footwear	
	(UNI EN ISO 20345:2012)		
	EN ISO 20344:2011	Personal protective equipment – Test methods for footwear	
	(UNI EN ISO 20344:2012)	restriction of the second of t	
	EN ISO 17249:2013	Safety footwear with resistance to chain saw cutting	
		Salety lootwear will resistance to chair saw conting	
	(UNI EN ISO 17249:2014)		
Intended use:	woodcutters, forest rangers, farmers and alike (foot protection for works implying the use		
	of a chainsaw)	, , , , , , , , , , , , , , , , , , ,	
	or a criainsaw)		
Size range:	from 38 to 48		
Technical File:	DC-10470/E		
Test report:	RCT n°3832106.01/E		
•			



PRD N° 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

n. **644192602/OE**

Validity: 2024/06/23

Functions and performance levels:

Date: 2019/06/24

basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

SRC = Slip resistance – meets the following requirements:

- <u>surface</u>: ceramic / <u>lubricant</u>: <u>detergent</u> solution;
- surface: smooth steel / <u>lubricant</u>: glycerine.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

S2 = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil of the outsole, water penetration resistance and absorption (water-repellent upper); **HRO** = resistance to hot contact of the outsole; **HI** = heat insulation of the outsole; **CI** = cold insulation of the outsole.

Furthermore the footwear meets the requirements for footwear with resistance to chain saw cutting (see EN ISO 17249:2013) – LEVEL: 1 (chain speed: 20 m/s).

Marking:

On a label stitched onto the tongue and including the following information:

- **CE Marking** + number of the Notified Body in charge of the annual control of the PPE;
- registered Trademark (OREGON) + complete address of the Manufacturer;
- identification of the product (= art. code nr.) + country code (B);
- size of the footwear;
- month and year of production;
- nr./year of the two Technical Standards of reference + safety symbols;
- pictogram referred to the EN ISO 17249 with indication of the LEV. reached (on the external side of the footwear;
- additional info: batch number, "made in...".



OREGON.

47

Lot.MT 80 **295479 06/19**

B C € 0498

EN ISO 20345:2011 EN ISO 17249:2013 S2-CI-HRO-HI-SRC Made in Romania

Blount Europe S.A.

Rue Emile Francqui,5 **B**1435 Mont Saint Guibert Belgium



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

