

TEST REPORT



Hookaroon 38cm (item no. OX 173 E-0500)

Test no. 5148a

OWNER OF TEST CERTIFICATE

GEDORE Werkzeugfabrik
GmbH & Co KG
Remscheider Strasse 149
D - 42899 Remscheid

www.ochsenkopf.com



Results and assessments

Results from the 2009 field study

Hookaroon 38 cm

GEDORE Werkzeugfabrik GmbH & Co. KG, Remscheider Strasse 149, D - 42899 Remscheid

Application field

Lifting and positioning of plywood during firewood processing

Feature	Result	Valuation
Handling	Good power transmission, secure penetration of the tip, even with hardwood Fixed stem connection Knob at the end improves grip	+
Durability	Very stable workmanship, good quality and workmanship of the materials used	+
Assessment range: ++ / + / o / - / -- (o = standard; o. B. = without assessment; - limit value complied with)		

Workmanship

Head section with hammer surface and hook forged from high-quality steel. Ash handle with knob.

Technical data

Workmanship		38 cm
Headboard dimensions	Length with hook	183 mm
	width striking surface	65.5 mm 33 mm x 43.5 mm
	Hook profile bottom	18 mm x 17 mm
	top	6.5 mm x 5 mm
Hardness	Striking surface / hook	40+3 HRC / Grade B (C 45)
Shaft dimensions	Length	380 mm
	Front profile	25 mm x 45 mm
	back	22 mm x 33 mm
Weight	with shaft	840 g

This report is based on practical tests and measurements carried out by professional users according to the specifications of the Expert Committee for Equipment and Tools of KWF e.V.

Test completion	March 2025	KWF Services GmbH
Approval until	September 2030	Spremlberger Straße 1
First approval	June 2009	64823 Groß-Umstadt
E-Mail:	info@services.de	Phone: 06078-785-28
Internet:	www.kwf-services.de	